

Personal Laser Printers

HL-2040 Compact



HL-2070N Compact, Network-Ready



Specifications

TECHNOLOGY		
Print Speed	Up to 20 ppm	Up to 20 ppm
Maximum Print Resolution	HQ1200 (2400 x 600 dpi)	HQ1200 (2400 x 600 dpi)
Memory (standard/maximum*)	8MB / 8MB	16MB / 16MB
COMPATIBILITY		
Printer Drivers	Windows® 95/98/ Me/NT 4.0/2000/XP, Mac® OS 9.1-9.2, OS X 10.2.4 or greater	Windows® 95/98/ Me/NT 4.0/2000/XP, Mac® OS 9.1-9.2, OS X 10.2.4 or greater
Standard Interfaces*	Automatic interface switching between Parallel, USB 2.0	Automatic interface switching between Parallel, USB 2.0
Standard Network Interfaces*	—	10/100 BaseT Ethernet
Optional Interfaces*	10/100 BaseT Ethernet, 802.11b Wireless Print Server	802.11b Wireless Print Server
Printer Languages / Emulations	Windows® GDI	Automatic emulation switching between PCL6, IBM Proprinter, and Epson FX
Resident Fonts	—	PCL: 49 scalable fonts, 12 bitmap fonts, 11 bar codes
PAPER HANDLING		
Paper Sizes	2.75" to 8.5" (w) 4.57" to 14" (l) Letter, legal, executive, A4, A5, A6, B5, B6, and envelopes: Com 10, DL, B5, C5	2.75" to 8.5" (w) 4.57" to 14" (l) Letter, legal, executive, A4, A5, A6, B5, B6, and envelopes: Com 10, DL, B5, C5
Media Capacity Input Standard	250 sheets + single-sheet bypass tray	250 sheets + single-sheet bypass slot
Input Maximum	250 sheets	250 sheets
Output	100 sheets face down	100 sheets face down
Paper Handling/ Printing Options*	—	—
Additional User Modes†	Manual Duplex, Power Save, Toner Save, N-Up Printing, Watermark, Poster Printing	Manual Duplex, Power Save, Toner Save, N-Up Printing, Watermark, Poster Printing IPP Printing
OTHER		
Dimensions (WxDxH)	14.6" x 14.2" x 6.5"	14.6" x 14.2" x 6.5"
Weight	14.3 lbs.	14.3 lbs.
Replacement Supplies*	TN-350 Toner (2,500 pages) ¹⁵ DR-350 Drum (12,000 pages) ¹⁵	TN-350 Toner (2,500 pages) ¹⁵ DR-350 Drum (12,000 pages) ¹⁵
Limited Warranty	1 Year Express Exchange ³	1 Year Express Exchange ³

*Additional purchase required. †Approximate Toner Cartridge yield based on 5% page coverage (letter).
*Drum yield is approximate and may vary by type of use. †See User's Guide or ask Brother representative for details.

Office Laser Printers

HL-5140 High-Performance



HL-5150D/ HL-5150DLT Duplex, Graphics



Specifications

TECHNOLOGY		
Print Speed	Up to 21 ppm	Up to 21 ppm
Maximum Print Resolution	HQ1200 (2400 x 600 dpi)	HQ1200 (2400 x 600 dpi)
Memory (standard/maximum*)	16MB / 144MB	16MB / 144MB
COMPATIBILITY		
Printer Drivers	Windows® 95/98/ Me/NT 4.0/2000/XP, Mac® OS 8.6-9.2, OS X 10.1/10.2.1-10.3 or greater	Windows® 95/98/ Me/NT 4.0/2000/XP, Mac® OS 8.6-9.2, OS X 10.1/10.2.1-10.3 or greater, PostScript® 3 PPD
Standard Interfaces*	Automatic interface switching between Parallel, USB 2.0	Automatic interface switching between Parallel, USB 2.0
Standard Network Interfaces*	—	—
Optional Interfaces*	10/100 BaseT Ethernet, 802.11b Wireless Print Server	10/100 BaseT Ethernet, 802.11b Wireless Print Server
Printer Languages / Emulations	PCL6	Automatic emulation switching between PCL6, BR-Script 3®, IBM Proprinter, and Epson FX
Resident Fonts	PCL: 49 scalable fonts, 12 bitmap fonts, 11 bar codes	PCL: 66 scalable fonts, 12 bitmap fonts, 11 bar codes PS/3: 66 scalable fonts
PAPER HANDLING		
Paper Sizes	2.75" to 8.5" (w) 4.57" to 14" (l) Letter, legal, executive, A4, A5, A6, B5, B6, and envelopes: Com 10, DL, B5, C5	2.75" to 8.5" (w) 4.57" to 14" (l) Letter, legal, executive, A4, A5, A6, B5, B6, and envelopes: Com 10, DL, B5, C5
Media Capacity Input Standard	250 sheets + single-sheet bypass tray	250 sheets (500 sheets for 5150DLT) + 50-sheet multi-purpose tray
Input Maximum	500 sheets with optional paper tray unit*	550 sheets with optional paper tray unit*
Output	150 sheets face down	150 sheets face down
Paper Handling/ Printing Options*	2nd 250-sheet lower paper tray unit	2nd 250-sheet lower paper tray unit
Additional User Modes†	Manual Duplex, Power Save, Toner Save, N-Up Printing, Watermark, Poster Printing, Job Cancel	Built-in duplex printing, Power Save, Toner Save, N-Up Printing, Watermark, Poster Printing, Job Cancel
OTHER		
Dimensions (WxDxH)	15.0" x 15.1" x 9.9"	15.0" x 15.8" x 9.9"
Weight	23.1 lbs.	26.2 lbs.
Replacement Supplies*	TN-540 Toner (3,500 pages) ¹ TN-570 Toner (6,700 pages) ¹ DR-510 Drum (20,000 pages) ²	TN-540 Toner (3,500 pages) ¹ TN-570 Toner (6,700 pages) ¹ DR-510 Drum (20,000 pages) ²
Limited Warranty	1 Year Express Exchange ³	1 Year Express Exchange ³

*PostScript®3™ language emulation. †Ships with starter cartridge. *Cables not included.
*Some advanced functions are not supported under all operating systems. See User's Guide online for details.

Office Laser Printers

HL-6050D
Duplex



HL-7050
Expandable



Specifications

TECHNOLOGY		
Print Speed	Up to 25 ppm	Up to 30 ppm
Maximum Print Resolution	1200 x 1200 dpi	1200 x 1200 dpi
Memory (standard/maximum*)	32MB / 160MB	32MB / 288MB
COMPATIBILITY		
Printer Drivers	Windows® 95/98/Me/NT 4.0/2000/XP, Mac® OS 8.6-9.2, OS X 10.1/10.2.1-10.3 or greater, PostScript® 3 PPD	Windows® 95/98/Me/NT 4.0/2000/XP, Mac® OS 8.6-9.2, OS X 10.1/10.2.1-10.3 or greater, PostScript® 3 PPD
Standard Interfaces*	Automatic interface switching between Parallel, USB 2.0	Automatic interface switching between Parallel, USB 2.0, RS-232 Serial
Standard Network Interfaces*	—	—
Optional Interfaces*	10/100 BaseT Ethernet, 802.11b/g Wireless Print Server	10/100 BaseT Ethernet
Printer Languages / Emulations	Automatic emulation switching between PCL6, BR-Script 3®, IBM Proprinter XL, and Epson FX	Automatic emulation switching between PCL6, BR-Script 3®, IBM Proprinter XL, HP-GL, and Epson FX
Resident Fonts	PCL: 66 scalable fonts, 12 bitmap fonts, 11 bar codes, PS/3: 66 scalable fonts	PCL: 66 scalable fonts, 12 bitmap fonts, 11 bar codes, PS/3: 66 scalable fonts
PAPER HANDLING		
Paper Sizes	2.75" to 8.5" (w) 4.57" to 14" (l) Letter, legal, executive, A4, A5, A6, B5, B6, and envelopes: Com 10, DL, B5, C5	4.13" to 8.5" (w) 5.85" to 14" (l) Letter, legal, executive, A4, A5, A6, B5, B6, and envelopes: Com 10, DL, B5, C5
Media Capacity Input Standard	500 sheets + 100-sheet multi-purpose tray	500 sheets + 100-sheet multi-purpose tray
Input Maximum	1,100 sheets with optional paper tray unit*	2,100 sheets with optional paper tray unit*
Output	250 sheets face down	500 sheets face down Up to 1,900 sheets with optional 10-bin mailbox/sorter*
Paper Handling/ Printing Options*	2nd 500-sheet lower paper tray unit	500-sheet lower paper tray units (3), duplex unit, 10-bin mailbox/sorter, printer stand/stabilizer, hard disk drive
Additional User Modes†	Built-in duplex printing, 3-Color LCD, Toner Save, Power Save, N-Up Printing, Watermark, Poster Printing, Secure Job Print, Last Job Reprint, Job Cancel	Manual Duplex, 3-Color LCD, Toner Save, Power Save, N-Up Printing, Watermark, Poster Printing, Secure Job Print, Last Job Reprint, Job Cancel
OTHER		
Dimensions (WxDxH)	15.7" x 16.7" x 12.2"	19.1" x 18.9" x 16.6"
Weight	45.8 lbs.	53.2 lbs.
Replacement Supplies*	TN-670 Toner (7,500 pages) ¹ DR-600 Drum (30,000 pages) ²	TN-700 Toner (7,500 pages) ¹ DR-700 Drum (40,000 pages) ²
Limited Warranty	1 Year Express Exchange ³	1 Year Express Exchange ³

*Additional purchase required. †Approximate Toner Cartridge yield based on 5% page coverage (letter).
¹Drum yield is approximate and may vary by type of use. ²See User's Guide or ask Brother representative for details.

Network-Ready Laser Printers

HL-5170DN
HL-5170DNLT
Duplex, Network



HL-6050DN
HL-6050DW
Duplex, Network



Specifications

TECHNOLOGY		
Print Speed	Up to 21 ppm	Up to 25 ppm
Maximum Print Resolution	HQ1200 (2400 x 600 dpi)	1200 x 1200 dpi
Memory (standard/maximum*)	32MB / 160MB	32MB / 160MB
COMPATIBILITY		
Printer Drivers	Windows® 95/98/Me/NT 4.0/2000/XP, Mac® OS 8.6-9.2, OS X 10.1/10.2.1-10.3 or greater	Windows® 95/98/Me/NT 4.0/2000/XP, Mac® OS 8.6-9.2, OS X 10.1/10.2.1-10.3 or greater, PostScript® 3 PPD
Standard Interfaces*	Automatic interface switching between Parallel, USB 2.0	Automatic interface switching between Parallel, USB 2.0
Standard Network Interfaces*	10/100 BaseT Ethernet	10/100 BaseT Ethernet (6050DN), 802.11b/g Wireless Print Server (6050DN)
Optional Interfaces*	802.11b Wireless Print Server	—
Printer Languages / Emulations	Automatic emulation switching between PCL6, BR-Script 3®, IBM Proprinter, and Epson FX	Automatic emulation switching between PCL6, BR-Script 3®, IBM Proprinter, and Epson FX
Resident Fonts	PCL: 66 scalable fonts, 12 bitmap fonts, 11 bar codes PS/3: 66 scalable fonts	PCL: 66 scalable fonts, 12 bitmap fonts, 11 bar codes PS/3: 66 scalable fonts
PAPER HANDLING		
Paper Sizes	2.75" to 8.5" (w) 4.57" to 14" (l) Letter, legal, executive, A4, A5, A6, B5, B6, and envelopes: Com 10, DL, B5, C5	2.75" to 8.5" (w) 4.57" to 14" (l) Letter, legal, executive, A4, A5, A6, B5, B6, and envelopes: Com 10, DL, B5, C5
Media Capacity Input Standard	250 sheets (500 sheets for 5170DNLT) + 50-sheet multi-purpose tray	500 sheets + 100-sheet multi-purpose tray
Input Maximum	550 sheets with optional paper tray unit*	1,100 sheets with optional paper tray unit*
Output	150 sheets face down	250 sheets face down
Paper Handling/ Printing Options*	2nd 250-sheet lower paper tray unit	2nd 500-sheet lower paper tray unit
Additional User Modes†	Built-in duplex printing, Toner Save, Power Save, N-Up Printing, Watermark, Poster Printing, Job Cancel, IPP Printing	Built-in duplex printing, 3-Color LCD, Toner Save, Power Save, N-Up Printing, Watermark, Poster Printing, Secure Job Print, Last Job Reprint, Job Cancel, IPP Printing
OTHER		
Dimensions (WxDxH)	15.0" x 15.8" x 9.9"	15.7" x 16.7" x 12.2"
Weight	26.2 lbs.	45.8 lbs.
Replacement Supplies*	TN-540 Toner (3,500 pages) ¹ TN-570 Toner (6,700 pages) ¹ DR-510 Drum (20,000 pages) ²	TN-670 Toner (7,500 pages) ¹ DR-600 Drum (30,000 pages) ²
Limited Warranty	1 Year Express Exchange ³	1 Year Express Exchange ³

*PostScript®3™ language emulation. *Cables not included. †Some advanced functions are not supported under all operating systems. See User's Guide online for details.

Network-Ready Laser Printers

HL-7050N

Expandable
Network-Ready



HL-8050N

High-Performance
Network-Ready



Specifications

TECHNOLOGY		
Print Speed	Up to 30 ppm	Up to 35 ppm
Maximum Print Resolution	1200 x 1200 dpi	1200 x 1200 dpi
Memory (standard/maximum*)	32MB / 288MB	64MB / 576MB
COMPATIBILITY		
Printer Drivers	Windows® 95/98/Me/NT 4.0/2000/XP, Mac® OS 8.6-9.2, OS X 10.1/10.2.1-10.3 or greater, PostScript® 3 PPD	Windows® 95/98/Me/NT 4.0/2000/XP, Mac® OS 8.6-9.2, OS X 10.1/10.2.1-10.3 or greater, PostScript® 3 PPD
Standard Interfaces*	Automatic interface switching between Parallel, USB, RS-232 Serial	Automatic interface switching between Parallel, USB
Standard Network Interfaces†	10/100 BaseT Ethernet	10/100 BaseT Ethernet
Optional Interfaces*	—	—
Printer Languages / Emulations	Automatic emulation switching between PCL6, BR-Script 3®, IBM Proprinter XL, HP-GL, and Epson FX	Automatic emulation switching between PCL6, BR-Script 3®, IBM Proprinter XL, HP-GL, and Epson FX
Resident Fonts	PCL: 66 scalable fonts, 12 bitmap fonts, 11 bar codes, PS/3: 66 scalable fonts	PCL: 66 scalable fonts, 12 bitmap fonts, 11 bar codes, PS/3: 66 scalable fonts
PAPER HANDLING		
Paper Sizes	4.13" to 8.5" (w) 5.85" to 14" (l) Letter, legal, executive, A4, A5, A6, B5, B6, and envelopes: Com 10, DL, B5, C5	3.0" to 8.5" (w) 5.0" to 14" (l) Letter, legal, executive, A4, A5, A6, B5, B6, and envelopes: Com 10, DL, B5, C5
Media Capacity Input Standard	500 sheets + 100-sheet multi-purpose tray	550 sheets + 150-sheet
Input Maximum	2,100 sheets with optional paper tray units*	1,800 sheets with optional paper tray units*
Output	500 sheets face down Up to 1,900 sheets with optional 10-bin mailbox/sorter*	500 sheets face down Up to 1,000 sheets with optional offset catch tray*
Paper Handling/ Printing Options*	500-sheet lower paper tray units (3)*, duplex unit, 10-bin mailbox/sorter, printer stand/stabilizer, hard disk drive	550-sheet lower paper tray units (2), duplex unit, offset catch tray
Additional User Modes†	Manual Duplex, 3-Color LCD, Toner Save, Power Save, N-Up Printing, Watermark, Poster Printing, Secure Job Print, Last Job Reprint, Job Cancel, IPP Printing	Manual Duplex, 2-Line LCD, Toner Save, Power Save, N-Up Printing, Watermark, Poster Printing, Secure Job Print, Last Job Reprint, Job Cancel, IPP Printing
OTHER		
Dimensions (WxDxH)	19.1" x 18.9" x 16.6"	16.6" x 18.3" x 15.9"
Weight	53.6 lbs.	45.2 lbs.
Replacement Supplies*	TN-700 Toner (12,000 pages)¹ DR-700 Drum (40,000 pages)²	TN-1700 Toner/Drum Unit (17,000 pages)¹,³
Limited Warranty	1 Year Express Exchange³	1 Year Express Exchange³

*Additional purchase required. †Approximate Toner Cartridge yield based on 5% page coverage (letter).
¹Drum yield is approximate and may vary by type of use. ²See User's Guide or ask Brother representative for details.

Color Laser Printers

HL-2700CN

Network-Ready
Desktop
Color Laser



HL-4200CN

Network-Ready
Workgroup
Color Laser



Specifications

TECHNOLOGY		
Print Speed (Color) (Monochrome)	Up to 8 ppm Up to 31 ppm	Up to 26 ppm Up to 26 ppm
Maximum Print Resolution	2400 x 600 dpi	1200 x 1200 dpi
Memory (standard/maximum*)	64MB / 576MB	64MB / 320MB
COMPATIBILITY		
Printer Drivers	Windows® 95/98/Me/NT 4.0/2000/XP, Mac® OS 8.6-9.2, OS X 10.1/10.2.1-10.3 or greater, PostScript® 3 PPD	Windows® 95/98/Me/NT 4.0/2000/XP, Mac® OS 8.6-9.2, OS X 10.1/10.2.1-10.3 or greater, PostScript® 3 PPD
Standard Interfaces*	Automatic interface switching between Parallel, USB 2.0	Automatic interface switching between Parallel, USB
Standard Network Interfaces†	10/100 BaseT Ethernet	10/100 BaseT Ethernet
Optional Interfaces*	—	—
Printer Languages / Emulations	Automatic emulation switching between PCL5C, PCL6, BR-Script 3®, IBM Proprinter, HP-GL, and Epson FX	Adobe® PostScript® 3™
Resident Fonts	PCL: 66 scalable fonts, 12 bitmap fonts, 13 bar codes, PS/3: 35 scalable fonts	Windows®: 80 scalable fonts, PS/3: 136 scalable fonts
PAPER HANDLING		
Paper Sizes	4.1" to 8.5" (w) 8.7" to 11.7" (l) Letter, executive, A4, and envelopes: Com 10, DL	3.5" to 8.5" (w) 5.5" to 14" (l) Letter, legal, executive, A4, and envelopes: Com 10, DL, C5, Monarch
Media Capacity Input Standard	250 sheets	500 sheets + 100-sheet multi-purpose tray
Input Maximum	780 sheets with optional paper tray unit*	1,600 sheets with optional paper tray unit*
Output	250 sheets face down	250 sheets face down
Paper Handling/ Printing Options*	530-sheet lower paper tray unit, 250-sheet legal paper tray unit, duplex unit	1000-sheet lower paper tray unit, 500-sheet lower paper tray unit, hard disk drive
Additional User Modes†	Manual Duplex, 2-Line LCD, Toner Save, Power Save, N-Up Printing, Watermark, Poster Printing, Secure Job Print, Job Cancel, IPP Printing	Built-in Duplex Printing, 2-Line LCD, Toner Save, Power Save, N-Up Printing, Watermark, Poster Printing, Job Cancel, IPP Printing
OTHER		
Dimensions (WxDxH)	18.9" x 16.5" x 15.2"	17.3" x 23.2" x 17.5"
Weight	69.3 lbs.	77.2 lbs.
Replacement Supplies*	TN-04BK Toner (10,000 pages)¹,³ TN-04C Toner (6,000 pages)¹,³ TN-04M Toner (6,000 pages)¹,³ TN-04Y Toner (6,000 pages)¹,³	TN-12BK Toner (9,000 pages)¹ TN-12C Toner (6,000 pages)¹ TN-12M Toner (6,000 pages)¹ TN-12Y Toner (6,000 pages)¹
Limited Warranty	1 Year On-Site³	1 Year On-Site³

*PostScript®3™ language emulation. †Ships with starter cartridge. ²Cables not included.
³Some advanced functions are not supported under all operating systems. See User's Guide online for details.